



**SAFETY DATA SHEET**  
**3.25g(1.7g NaDCC) ECT POTS**

**SECTION 1: Identification of the substance/mixture and of the company/undertaking**

**1.1. Product identifier**

<b>Product name</b>	3.25g(1.7g NaDCC) ECT POTS
<b>Product number</b>	340221, 340217, 340262, 342922, 340293, 340247, 704041, 340296, 340218, 340219, 340220, 340222, 340223, 73005, 340224, 340213, 340225, 340215, 340226, 340211, 340227, 340228, 340229, 340230, 340231, 340232, 73006, 340268, 340011, 340233, 340234, 340235, 340236, 340237, 340238, 340239, 340240, 340241, 340242, 340248, 340269, 73007, 340243, 340244, 340245, 340246, 340250, 340252, 340253, 340249, 340254, 340272, 340255, 340010, 340256, 340257, 340258, 340259, 340260, 340263, 340266, 340265, 340270, 910006, 340280, 340290, 340110, 340312, 340315, 340316, 340319, 340267, 341620, 341721, 340273, 341722, 341723, 340111, 341820, 341825, 342120, 342210, 340295, 342410, 342610, 342920, 340294, 343010, 343011, 342211, 340210, 340271, 342611, 340216, 342212, 73008, 340323, 342921, 340214, 340264, 340324, 340291, 340325, 340212, 340308, 340307, 910093, 340259A, 340297, 341826, 340210B, 340213B, 340213C, 340298, 340327, 340208, 340281, 343430, 340299, 340207, 910102, 910132, 340307A, 340279, 340206, 340205, 340315A, 341827, 341828, 910103, 340204, 340203, 340202, 340201, 340283, 340284, 341829, 340285, 340286, 340012, 340300, 073009, 073004, 073010

**1.2. Relevant identified uses of the substance or mixture and uses advised against**

<b>Identified uses</b>	Disinfectant.
------------------------	---------------

**1.3. Details of the supplier of the safety data sheet**

<b>Supplier</b>	Hydrachem Specialised Chemicals Gillmans Industrial Estate Billinghamurst West Sussex RH14 9EZ UK T: +44(0)1403 787700, (Hours 09:00- 17:00 Mon to Fri) F: +44(0)1403 785158 sds@hydrachem.co.uk
-----------------	--

**1.4. Emergency telephone number**

**SECTION 2: Hazards identification**

**2.1. Classification of the substance or mixture**

**Classification**

**Physical hazards**

Not Classified

**Health hazards**

Eye Irrit. 2 - H319 STOT SE 3 - H335

**Environmental hazards**

Aquatic Acute 1 - H400 Aquatic Chronic 1 - H410

**Classification (67/548/EEC or 1999/45/EC)**

Xn;R22. Xi;R36/37. N;R50/53. R31.

**2.2. Label elements**

### 3.25g(1.7g NaDCC) ECT POTS

**Pictogram**



**Signal word**

Warning

**Hazard statements**

H319 Causes serious eye irritation.  
 H335 May cause respiratory irritation.  
 H410 Very toxic to aquatic life with long lasting effects.

**Precautionary statements**

P271 Use only outdoors or in a well-ventilated area.  
 P273 Avoid release to the environment.  
 P280 Wear eye protection.  
 P337+P313 If eye irritation persists: Get medical advice/attention.  
 P391 Collect spillage.  
 P402+P404 Store in a dry place. Store in a closed container.  
 P501 Dispose of contents/container in accordance with local regulations.

**Supplemental label information**

EUH031 Contact with acids liberates toxic gas.  
 RCH002b For professional users only.

**Contains**

TROCLOSENE SODIUM

**Supplementary precautionary statements**

P280 Wear protective clothing.  
 P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.  
 P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
 P312 Call a POISON CENTER/doctor if you feel unwell.  
 P403+P233 Store in a well-ventilated place. Keep container tightly closed.  
 P405 Store locked up.

**2.3. Other hazards**

**SECTION 3: Composition/information on ingredients**

**3.2. Mixtures**

<b>TROCLOSENE SODIUM</b>	<b>30-60%</b>
CAS number: 2893-78-9    EC number: 220-767-7	
M factor (Acute) = 1    M factor (Chronic) = 1	
<b>Classification</b>	<b>Classification (67/548/EEC or 1999/45/EC)</b>
Ox. Sol. 2 - H272	E;R2 O;R8 Xn;R22 Xi;R36/37 R31 N;R50/53
Acute Tox. 4 - H302	
Eye Irrit. 2 - H319	
STOT SE 3 - H335	
Aquatic Acute 1 - H400	
Aquatic Chronic 1 - H410	

**3.25g(1.7g NaDCC) ECT POTS**

<b>ADIPIIC ACID</b>	<b>10-30%</b>
CAS number: 124-04-9 EC number: 204-673-3	
<b>Classification</b>	<b>Classification (67/548/EEC or 1999/45/EC)</b>
Eye Irrit. 2 - H319	Xi;R36
<b>SODIUM CARBONATE</b>	<b>1-5%</b>
CAS number: 497-19-8 EC number: 207-838-8	
<b>Classification</b>	<b>Classification (67/548/EEC or 1999/45/EC)</b>
Eye Irrit. 2 - H319	Xi;R36

The Full Text for all R-Phrases and Hazard Statements are Displayed in Section 16.

**Composition comments** Note T for troclosen sodium as per Commission Directive 20008/58/EC applies

**SECTION 4: First aid measures****4.1. Description of first aid measures****Inhalation**

Move affected person to fresh air at once. Get medical attention. Move affected person to fresh air and keep warm and at rest in a position comfortable for breathing. When breathing is difficult, properly trained personnel may assist affected person by administering oxygen.

**Ingestion**

Do not induce vomiting. Never give anything by mouth to an unconscious person. Do not induce vomiting. Remove affected person from source of contamination. Give plenty of water to drink. Get medical attention immediately. Move affected person to fresh air and keep warm and at rest in a position comfortable for breathing.

**Skin contact**

Skin irritation is not anticipated when used normally. In the event of irritation: Remove contaminated clothing. Wash skin thoroughly with soap and water. Get medical attention if irritation persists after washing.

**Eye contact**

Remove any contact lenses and open eyelids wide apart. Remove any contact lenses and open eyelids wide apart. Continue to rinse for at least 15 minutes. Continue to rinse for at least 15 minutes. Get medical attention promptly if symptoms occur after washing.

**4.2. Most important symptoms and effects, both acute and delayed****4.3. Indication of any immediate medical attention and special treatment needed****SECTION 5: Firefighting measures****5.1. Extinguishing media****Suitable extinguishing media**

The product is not flammable. Extinguish with the following media: Water spray, dry powder or carbon dioxide.

**5.2. Special hazards arising from the substance or mixture****Specific hazards**

Protection against nuisance dust must be used when the airborne concentration exceeds 10 mg/m<sup>3</sup>. Oxides of carbon. Oxides of nitrogen. Fire or high temperatures create: Thermal decomposition or combustion products may include the following substances: Very corrosive gases or vapours. Chlorine. Hydrogen chloride (HCl).

**5.3. Advice for firefighters****Protective actions during firefighting**

Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing. Contain and collect extinguishing water.

**Special protective equipment for firefighters**

Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing.

## 3.25g(1.7g NaDCC) ECT POTS

### SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

##### Personal precautions

Wear protective clothing as described in Section 8 of this safety data sheet. Follow precautions for safe handling described in this safety data sheet. Wear suitable protective equipment, including gloves, goggles/face shield, respirator, boots, clothing or apron, as appropriate. Ensure suitable respiratory protection is worn during removal of spillages in confined areas.

#### 6.2. Environmental precautions

##### Environmental precautions

Not considered to be a significant hazard due to the small quantities used. Collect and dispose of spillage as indicated in Section 13.

#### 6.3. Methods and material for containment and cleaning up

##### Methods for cleaning up

Collect and place in suitable waste disposal containers and seal securely. Collect and place in suitable waste disposal containers and seal securely. Label the containers containing waste and contaminated materials and remove from the area as soon as possible. Avoid generation and spreading of dust. Flush contaminated area with plenty of water. Containers with collected spillage must be properly labelled with correct contents and hazard symbol. Do not close drums containing wet or damp material.

#### 6.4. Reference to other sections

### SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

##### Usage precautions

Avoid spilling. Avoid contact with skin and eyes. Do not handle broken packages without protective equipment. Keep away from heat, sparks and open flame. Do not eat, drink or smoke when using the product. Good personal hygiene procedures should be implemented. Avoid inhalation of vapours/spray and contact with skin and eyes. Provide adequate ventilation. Container must be kept tightly closed when not in use. Protect against direct sunlight. Follow instructions and ensure correct dilution of this product before use.

#### 7.2. Conditions for safe storage, including any incompatibilities

##### Storage precautions

Store in tightly-closed, original container in a dry, cool and well-ventilated place. Keep only in the original container.

#### 7.3. Specific end use(s)

### SECTION 8: Exposure Controls/personal protection

#### 8.1. Control parameters

##### Occupational exposure limits

##### Ingredient comments

WEL = Workplace Exposure Limits No exposure limits known for ingredient(s).

#### 8.2. Exposure controls

##### Protective equipment



##### Appropriate engineering controls

No specific ventilation requirements. This product must not be handled in a confined space without adequate ventilation.

##### Eye/face protection

Eyewear complying with an approved standard should be worn if a risk assessment indicates eye contact is possible. The following protection should be worn: Chemical splash goggles or face shield.

##### Hand protection

### 3.25g(1.7g NaDCC) ECT POTS

Chemical-resistant, impervious gloves complying with an approved standard should be worn if a risk assessment indicates skin contact is possible.

#### Other skin and body protection

Wear appropriate clothing to prevent any possibility of liquid contact and repeated or prolonged vapour contact.

#### Hygiene measures

Do not smoke in work area. Wash hands at the end of each work shift and before eating, smoking and using the toilet. Promptly remove any clothing that becomes contaminated. Wash promptly with soap and water if skin becomes contaminated. Use appropriate skin cream to prevent drying of skin. When using do not eat, drink or smoke.

#### Respiratory protection

No specific recommendations. Respiratory protection may be required if excessive airborne contamination occurs.

#### Environmental exposure controls

Do not allow undiluted product to enter drains.

---

## SECTION 9: Physical and Chemical Properties

---

### 9.1. Information on basic physical and chemical properties

#### Appearance

White flat tablet

#### Odour

Characteristic.

#### pH

pH (diluted solution): 4-6 approx 1

#### Solubility(ies)

Soluble in water.

### 9.2. Other information

---

## SECTION 10: Stability and reactivity

---

### 10.1. Reactivity

### 10.2. Chemical stability

#### Stability

Stable at normal ambient temperatures.

### 10.3. Possibility of hazardous reactions

### 10.4. Conditions to avoid

Avoid contact with the following materials: Acids. Oxidising agents. Avoid exposure to high temperatures or direct sunlight. Avoid contact with strong reducing agents.

### 10.5. Incompatible materials

#### Materials to avoid

Flammable/combustible materials. Organic materials, oils, grease, sawdust, reducing agents, nitrogen-containing compounds, oxidizing substances, acids and alkalis, damp or slightly wet conditions ( NaDCC may generate nitrogen trichloride which is explosive).

### 10.6. Hazardous decomposition products

Heating may generate the following products: Carbon monoxide (CO). Oxides of nitrogen. Hydrogen chloride (HCl). Isocyanates.

---

## SECTION 11: Toxicological information

---

### 11.1. Information on toxicological effects

#### Toxicological effects

Toxicological information of the active ingredient troclosen sodium

#### Acute toxicity - oral

ATE oral (mg/kg)

### 3.25g(1.7g NaDCC) ECT POTS

2,709.43396226

**Inhalation**

Harmful: danger of serious damage to health by prolonged exposure through inhalation.

**Ingestion**

Harmful if swallowed.

**Skin contact**

Skin irritation should not occur when used as recommended.

**Eye contact**

Irritating to eyes.

**Route of entry**

Inhalation Ingestion. Skin and/or eye contact

---

**SECTION 12: Ecological Information**

---

**12.1. Toxicity**

**Acute toxicity - aquatic invertebrates**

EC<sub>50</sub>, 48 hours: < 1 mg NaDCC mg/l, Daphnia magna

**12.2. Persistence and degradability**

**Persistence and degradability**

The product is expected to be biodegradable.

**12.3. Bioaccumulative potential**

**12.4. Mobility in soil**

**12.5. Results of PBT and vPvB assessment**

**12.6. Other adverse effects**

---

**SECTION 13: Disposal considerations**

---

**13.1. Waste treatment methods**

**Disposal methods**

Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority.

---

**SECTION 14: Transport information**

---

**Road transport notes** Product transported in Limited Quantities.

**14.1. UN number**

**UN No. (ADR/RID)** 3077

**UN No. (IMDG)** 3077

**UN No. (ICAO)** 3077

**14.2. UN proper shipping name**

**Proper shipping name (ADR/RID)** ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.(TROCLOSENE SODIUM)

**Proper shipping name (IMDG)** ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.(TROCLOSENE SODIUM)

**Proper shipping name (ICAO)** ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.(TROCLOSENE SODIUM)

**Proper shipping name (ADN)** ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.(TROCLOSENE SODIUM)

**14.3. Transport hazard class(es)**

**ADR/RID class** 9

**ADR/RID subsidiary risk**

**3.25g(1.7g NaDCC) ECT POTS**

ADR/RID label 9

IMDG class 9

IMDG subsidiary risk

ICAO class/division 9

ICAO subsidiary risk

**14.4. Packing group**

ADR/RID packing group III

IMDG packing group III

ICAO packing group III

**14.5. Environmental hazards**

Environmentally hazardous substance/marine pollutant

No.

**14.6. Special precautions for user**

EmS F-A, S-F

Emergency Action Code 2Z

Hazard Identification Number (ADR/RID) 90

Tunnel restriction code (E)

**14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code****SECTION 15: Regulatory information****15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture****National regulations**

The Chemicals (Hazard Information and Packaging for Supply) Regulations 2009 (SI 2009 No. 716).

**EU legislation**

Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) (as amended).

**Guidance**

Workplace Exposure Limits EH40. CHIP for everyone HSG228. Approved Classification and Labelling Guide (Sixth edition) L131.

**15.2. Chemical safety assessment****SECTION 16: Other information****General information**

Revision date 13/10/2014

Revision 14

Supersedes date 04/09/2014

SDS number 10243

Risk phrases in full

### 3.25g(1.7g NaDCC) ECT POTS

R2 Risk of explosion by shock, friction, fire or other sources of ignition.

R22 Harmful if swallowed.

R31 Contact with acids liberates toxic gas.

R36 Irritating to eyes.

R36/37 Irritating to eyes and respiratory system.

R50/53 Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

R8 Contact with combustible material may cause fire.

#### Hazard statements in full

H272 May intensify fire; oxidiser.

H302 Harmful if swallowed.

H319 Causes serious eye irritation.

H335 May cause respiratory irritation.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

#### Disclaimer

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.