



SAFETY DATA SHEET
3.25g(1.7g NaDCC) ECT POTS

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name 3.25g(1.7g NaDCC) ECT POTS

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses Disinfectant.

1.3. Details of the supplier of the safety data sheet

Supplier Hydrachem Ltd.
Gillmans Industrial Estate
Billinghurst
West Sussex
RH14 9EZ
UK
T: +44(0)1403 787700
(Hours 09:00- 17:00 Mon to Fri)
F: +44(0)1403 785158
sds@hydrachem.co.uk

Contact person sds@hydrachem.co.uk

1.4. Emergency telephone number

National emergency telephone number Country / Phone number & Website: Austria 112 - ; Belgium +32 070 245 245, www.centreantipoisons.be/; Bulgaria +359 2 9154 409, www.pirogov.bg; Croatia +358 1 2348 342, - ; Cyprus 112, - ; Czech Republic (+420) 224 919 293/ 224 915 402 www.tis-cz.cz ; Denmark +45 82 12 12 12, - ; Estonia 166662, +372 626 93 90, - ; Finland 112, - ; France +33 (0)1 45 42 59 59 INRS/ORFILA www.centres-antipoison.net ; Germany 112, - ; Greece 112, - ; Hungary (+36) 14 766 464/ 80 201 199, - ; Iceland 112, - ; Italy 112, - ; Latvia +371 670 424 73, - ; Liechtenstein 112, - ; Lithuania (+370) 5 236 20 52/ 6 875 33 78, www.tox.lt/; Luxembourg 112, - ; Malta 112, - ; Netherlands (+31) 030 274 8888, - ; Norway (+42) 2259 1300, - ; Poland 112, - ; Portugal 0808 250 143, - ; Romania 112, - ; Slovakia (+421) 2 54 774 166, - ; Slovenia 112,- ; Spain (+34) 91 562 04 20, - ; Sweden 112, - ; Switzerland 145, - ; United Kingdom 111, - ;

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification (EC 1272/2008)

Physical hazards Not Classified

Health hazards Eye Irrit. 2 - H319 STOT SE 3 - H335

Environmental hazards Aquatic Acute 1 - H400 Aquatic Chronic 1 - H410

2.2. Label elements

3.25g(1.7g NaDCC) ECT POTS

Pictogram



Signal word

Warning

Hazard statements

H319 Causes serious eye irritation.
 H335 May cause respiratory irritation.
 H410 Very toxic to aquatic life with long lasting effects.

Precautionary statements

P271 Use only outdoors or in a well-ventilated area.
 P273 Avoid release to the environment.
 P280 Wear eye protection.
 P337+P313 If eye irritation persists: Get medical advice/ attention.
 P391 Collect spillage.
 P402+P404 Store in a dry place. Store in a closed container.
 P501 Dispose of contents/ container in accordance with local regulations.

Supplemental label information

EUH031 Contact with acids liberates toxic gas.
 RCH002b For professional users only.

Contains

TROCLOSENE SODIUM

Supplementary precautionary statements

P264 Wash hands thoroughly after handling.
 P280 Wear protective clothing and gloves.
 P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.
 P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
 P312 Call a POISON CENTER/ doctor if you feel unwell.
 P403+P233 Store in a well-ventilated place. Keep container tightly closed.
 P405 Store locked up.

2.3. Other hazards

SECTION 3: Composition/information on ingredients

3.2. Mixtures

TROCLOSENE SODIUM		30-60%
CAS number: 2893-78-9	EC number: 220-767-7	REACH registration number: 01-2119489371-33-XXXX
M factor (Acute) = 1	M factor (Chronic) = 1	
Classification Ox. Sol. 2 - H272 Acute Tox. 4 - H302 Eye Irrit. 2 - H319 STOT SE 3 - H335 Aquatic Acute 1 - H400 Aquatic Chronic 1 - H410		

3.25g(1.7g NaDCC) ECT POTS

ADIPIC ACID			10-30%
CAS number: 124-04-9	EC number: 204-673-3	REACH registration number: 01-2119457561-38-XXXX	
Classification			
Eye Irrit. 2 - H319			
SODIUM CARBONATE			1-5%
CAS number: 497-19-8	EC number: 207-838-8	REACH registration number: 01-2119485498-19-XXXX	
Classification			
Eye Irrit. 2 - H319			

The full text for all hazard statements is displayed in Section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation	Move affected person to fresh air at once. Get medical attention. Move affected person to fresh air and keep warm and at rest in a position comfortable for breathing. When breathing is difficult, properly trained personnel may assist affected person by administering oxygen.
Ingestion	Do not induce vomiting. Remove affected person from source of contamination. Give plenty of water to drink. Get medical attention immediately. Move affected person to fresh air and keep warm and at rest in a position comfortable for breathing.
Skin contact	Wash skin thoroughly with soap and water. Get medical attention promptly if symptoms occur after washing.
Eye contact	Remove any contact lenses and open eyelids wide apart. Continue to rinse for at least 15 minutes. Get medical attention promptly if symptoms occur after washing.

4.2. Most important symptoms and effects, both acute and delayed

4.3. Indication of any immediate medical attention and special treatment needed

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media Use foam, carbon dioxide, dry powder or water fog to extinguish.

5.2. Special hazards arising from the substance or mixture

Specific hazards Protection against nuisance dust must be used when the airborne concentration exceeds 10 mg/m³. Oxides of carbon. Oxides of nitrogen. Fire or high temperatures create: Thermal decomposition or combustion products may include the following substances: Very corrosive gases or vapours. Chlorine. Hydrogen chloride (HCl).

5.3. Advice for firefighters

Protective actions during firefighting Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing. Contain and collect extinguishing water.

Special protective equipment for firefighters Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

3.25g(1.7g NaDCC) ECT POTS

Personal precautions

Wear protective clothing as described in Section 8 of this safety data sheet. Wear suitable protective equipment, including gloves, goggles/face shield, respirator, boots, clothing or apron, as appropriate. Ensure suitable respiratory protection is worn during removal of spillages in confined areas. Avoid inhalation of dust and contact with skin and eyes. Wash thoroughly after dealing with a spillage.

6.2. Environmental precautions

Environmental precautions Not considered to be a significant hazard due to the small quantities used. Collect and dispose of spillage as indicated in Section 13.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up

Collect and place in suitable waste disposal containers and seal securely. Label the containers containing waste and contaminated materials and remove from the area as soon as possible. Avoid generation and spreading of dust. Flush contaminated area with plenty of water. Containers with collected spillage must be properly labelled with correct contents and hazard symbol. Do not close drums containing wet or damp material.

6.4. Reference to other sections

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Usage precautions

Avoid spilling. Do not handle broken packages without protective equipment. Keep away from heat, sparks and open flame. Good personal hygiene procedures should be implemented. Avoid inhalation of vapours/spray and contact with skin and eyes. Provide adequate ventilation. Container must be kept tightly closed when not in use. Do not eat, drink or smoke when using this product. Protect from freezing and direct sunlight. Read label before use. Wear appropriate clothing to prevent repeated or prolonged skin contact. Avoid breathing dust.

7.2. Conditions for safe storage, including any incompatibilities

Storage precautions

Store in tightly-closed, original container in a dry, cool and well-ventilated place. Keep only in the original container.

7.3. Specific end use(s)

SECTION 8: Exposure Controls/personal protection

8.1. Control parameters

Occupational exposure limits

Short-term exposure limit (15-minute): WEL, (as chlorine) 0.5 ppm 1.5 mg/m³ fume

Long-term exposure limit (8-hour TWA): WEL 10 mg/m³ inhalable dust

Long-term exposure limit (8-hour TWA): WEL 4.0 mg/m³ respirable dust

WEL = Workplace Exposure Limit

DNEL

Human exposure based on the active ingredient troclosen sodium

Consumer - Dermal; Long term systemic effects: 1.15 mg/kg/day

Consumer - Inhalation; Long term systemic effects: 1.99 mg/m³

Consumer - Oral; Long term systemic effects: 1.15 mg/kg/day

8.2. Exposure controls

Protective equipment



3.25g(1.7g NaDCC) ECT POTS

Appropriate engineering controls	No specific ventilation requirements. This product must not be handled in a confined space without adequate ventilation.
Eye/face protection	Eyewear complying with an approved standard should be worn if a risk assessment indicates eye contact is possible. The following protection should be worn: Chemical splash goggles or face shield.
Hand protection	Chemical-resistant, impervious gloves complying with an approved standard should be worn if a risk assessment indicates skin contact is possible.
Other skin and body protection	Avoid contact with skin. Wear suitable coveralls to prevent exposure to the skin.
Hygiene measures	Warn cleaning personnel of any hazardous properties of the product. Do not eat, drink or smoke when using this product. Wash at the end of each work shift and before eating, smoking and using the toilet. Remove contaminated clothing and wash the skin thoroughly with soap and water after work. Provide eyewash station. Persons susceptible to allergic reactions should not handle this product. Good personal hygiene procedures should be implemented.
Respiratory protection	No specific recommendations. Respiratory protection may be required if excessive airborne contamination occurs.
Environmental exposure controls	Do not allow undiluted product to enter drains.

SECTION 9: Physical and Chemical Properties

9.1. Information on basic physical and chemical properties

Appearance	White flat tablet
Colour	White/off-white.
Odour	Characteristic. bleach
pH	pH (diluted solution): 4-6 @ 1%
Flash point	Not applicable.
Solubility(ies)	Soluble in water.
Oxidising properties	Does not meet the criteria for classification as oxidising.

9.2. Other information

Other information	Not determined.
--------------------------	-----------------

SECTION 10: Stability and reactivity

10.1. Reactivity

Reactivity	See Section 10.3 (Possibility of hazardous reactions) for further information.
-------------------	--

10.2. Chemical stability

Stability	Stable at normal ambient temperatures and when used as recommended.
------------------	---

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions	Will not polymerise. The following materials may react with the product: Acids. Alkalis. Organic nitro compounds. Amines. Oxidising agents. Reducing agents. Moisture. Peroxides. Contact with acids liberates toxic gas. Under normal conditions of storage and use, no hazardous reactions will occur.
---	--

10.4. Conditions to avoid

3.25g(1.7g NaDCC) ECT POTS

Conditions to avoid Avoid contact with the following materials: Acids. Oxidising agents. Avoid exposure to high temperatures or direct sunlight. Avoid contact with strong reducing agents.

10.5. Incompatible materials

Materials to avoid Flammable/combustible materials. Organic materials, oils, grease, sawdust, reducing agents, nitrogen-containing compounds (NaDCC may generate nitrogen trichloride which is explosive), oxidizing substances, acids and alkalis, damp or slightly wet conditions.

10.6. Hazardous decomposition products

Hazardous decomposition products Heating may generate the following products: Carbon monoxide (CO). Oxides of nitrogen. Hydrogen chloride (HCl). Isocyanates.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity - oral

ATE oral (mg/kg) 2,709.43

Inhalation May cause respiratory system irritation.

Ingestion May be harmful if swallowed.

Skin contact Skin irritation should not occur when used as recommended.

Eye contact Irritating to eyes.

Route of entry Inhalation Ingestion. Skin and/or eye contact

SECTION 12: Ecological Information

Ecotoxicity The product contains a substance which is toxic to aquatic organisms and which may cause long-term adverse effects in the aquatic environment.

12.1. Toxicity

Acute toxicity - fish LC₅₀, 96 hours: 0.37-0.47 mg/l, Algae

Acute toxicity - aquatic invertebrates EC₅₀, 48 hours: < 1 mg NaDCC mg/l, Daphnia magna

12.2. Persistence and degradability

Persistence and degradability There are no data on the degradability of this product.

12.3. Bioaccumulative potential

Bioaccumulative potential No data available on bioaccumulation.

12.4. Mobility in soil

Mobility The product is soluble in water.

12.5. Results of PBT and vPvB assessment

Results of PBT and vPvB assessment This product does not contain any substances classified as PBT or vPvB.

12.6. Other adverse effects

Other adverse effects Not determined.

SECTION 13: Disposal considerations

3.25g(1.7g NaDCC) ECT POTS

13.1. Waste treatment methods

General information	Waste is classified as hazardous waste. Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority.
Disposal methods	Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority.

SECTION 14: Transport information

General	For limited quantity packaging/limited load information, consult the relevant modal documentation using the data shown in this section.
Road transport notes	Refer to the Dangerous Goods List for information on any Special Provisions SP 135. Refer to the Dangerous Goods List for information on any Special Provisions SP 375.
Sea transport notes	Refer to the Dangerous Goods List for information on any Special Provisions General Provision 2.10.2.7.
Air transport notes	Refer to the Dangerous Goods List for information on any Special Provisions A 28. Refer to the Dangerous Goods List for information on any Special Provisions A 197.

14.1. UN number

UN No. (ADR/RID)	3077
UN No. (IMDG)	3077
UN No. (ICAO)	3077
UN No. (ADN)	3077

14.2. UN proper shipping name

Proper shipping name (ADR/RID)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.
--------------------------------	--

14.3. Transport hazard class(es)

ADR/RID class	9
ADR/RID classification code	M7
ADR/RID label	9
IMDG class	9
ICAO class/division	9
ADN class	9

Transport labels



14.4. Packing group

ADR/RID packing group	III
IMDG packing group	III
ADN packing group	III
ICAO packing group	III

14.5. Environmental hazards

3.25g(1.7g NaDCC) ECT POTS

Environmentally hazardous substance/marine pollutant



14.6. Special precautions for user

EmS	F-A, S-F
ADR transport category	3
Emergency Action Code	2Z
Hazard Identification Number (ADR/RID)	90
Tunnel restriction code	(E)

14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations	The Chemicals (Hazard Information and Packaging for Supply) Regulations 2009 (SI 2009 No. 716).
EU legislation	Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) (as amended). Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures (as amended). Commission Regulation (EU) No 453/2010 of 20 May 2010. Commission Regulation (EU) No 2015/830 of 28 May 2015.
Guidance	Workplace Exposure Limits EH40. Approved Classification and Labelling Guide (Sixth edition) L131. Guidance on the compilation of safety data sheets. Version 3, August 2015

15.2. Chemical safety assessment

No chemical safety assessment has been carried out.

SECTION 16: Other information

Revision date	02/08/2017
Revision	23
Supersedes date	22/06/2017
SDS number	10243
Hazard statements in full	H272 May intensify fire; oxidiser. H302 Harmful if swallowed. H319 Causes serious eye irritation. H335 May cause respiratory irritation. H400 Very toxic to aquatic life. H410 Very toxic to aquatic life with long lasting effects.
Signature	«184»

3.25g(1.7g NaDCC) ECT POTS

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.